

品质源于用心

QUALITY ORIGINATES FROM INTENTION



The Company has adopted ISO9001:2008 quality management system certification



石狮市宏企压力容器有限公司

ShiShi City HongQi Pressure vessel Co.,Ltd.

BRIEF 公司简介 of introduction Enterprise

石狮市宏企压力容器有限公司——座落在中国著名的服装城石狮市鸿山镇融盛工业区。她犹如一颗闪亮的明珠，凭借着一支高素质的专业人才队伍、精良完善的检测设备、先进的管理模式、科学严谨的质量保证体系，在中国迈向世界经济一体化的进程中，不断发出璀璨的光芒。

公司拥有3万多平方米的现代化工业厂房，是目前国内大型的专业制造压力容器的厂商之一。同时具有设计、制造压力容器许可证。公司现在职工200多人，其中高级工程师、工程师、技术员占30%以上；各种先进的制造压力容器专用设备达100多台；现制造各种压力容器100多个规格月生产能力达8000多台，并可按客户的要求制造各种标准和非标准的压力容器。

公司通过ISO9001-2008国际质量管理体系认证，所制造的产品符合GB150.1~150.4-2011《压力容器》标准及其相关的行业标准；并符合国家质量监督检验检疫总局《固定式压力容器安全技术监察规程》。现产品销往国内各大中城市和沿海主要经济发达地区，并出口意大利及东南亚等国家。销售服务一体化，使您能得到更及时周到的服务。

Shishi Hongqi Pressure Vessel Co.,Ltd. located in Rongsheng Industrial Zone near Shishi---a city that famous for apparel. She likes a brilliant pearl shining brightly on the way to global integrated economy. Resorting to its talents of high quality, first class equipments, advanced made of management and scientific system for strict quality goarantee, Hongqi is marching forward.

Hongqi is one of the biggest manufactures that is specialized in making pressure vessel in China, abtaining the Lissance of designing and making pressure vessel. It owns 30,000sqm workshops and more than 100 advanced devices. There are over 200 staffmembers in the company, among which over 30% are senior engineers and technicians. Now the company has the ability to produce 8000 pressure vessels about 100 series per month, designing and making by themselves, and make all the kinds of products in accordance with customers' demands.

Our company has passed the certification of ISO9001-2008 International Quality Management System. All the products are in conformity with GB150.1~150.4-2011 Pressure Vessels Standard and the ones in its line and the safety Clauses for Special Devices Issued By National Quality supervision and inspection and quarantine. fixed pressure vessels safety and technical regulations. The products of the company are sold to the big cities along the coast and exported to Italy and the countries of Southeast Asia. You are sure to enjoy the integrated service both in sales and service.



制造许可证
Manufacture License



设计许可证
Design License



国家合格评定质量
信用等级产品
Pass the certification of
National High Quality



国际质量信用AAA等级
The AAA class Standard of International
Quality Credit Rating Classification



质量管理优秀单位
Excellent quality control
unit in Fujian Province



中国名牌十佳品牌
One of top ten Famous Brand of China



泉州知名商标
Famous Brand of Quanzhou



质量协会会员单位
Member of Quality Association



中国名牌产品
Chinese High Quality Brand



www.hongqichina.com



以实力造就品质，以服务铸造辉煌！

在宏企人眼里，只有卓越的品质才称得上真正的专业！

一直以来，我们凭借着强大的制造实力，秉承细腻入微的宗旨铸造每一件产品。因为宏企人深信：唯有对事物一丝不苟方能达到一致，尽善尽美，一件精品，常常在细腻之处更能体现价值。

时至今日，我们仍然坚持对高科技通道管理系统执着追求，并且在美观与安全实用相结合的基础上，为产品注入艺术、简约、创造新空间的设计理念，将至精至美至用，安全值得信赖的产品，奉献给用户，令您拥有一流品质的保证。

因为卓越，所以缔造了无数第一：



- 首家全面推行并通过ISO9001:2000国际质量体系美国ANAB和英国UKAS双重认证的专业制造空气储罐的厂家；
- 首家敢于对市场承诺产品保用七年的专业制造空气储罐厂家；
- 首家导入CIS企业形象识别系统的专业制造空气储罐厂家；
- 首家在行业内获得：“国家合格评定质量信得过好产品”殊荣；
- 首家荣获“中国知名储罐十家品牌”的压力容器企业；
- 首家荣获中国产品质量协会“国际质量信用AAA等级”殊荣的压力容器厂家

In the eyes of HONGQI People, only superior quality can be called a true professional, uphold the purpose of casting fine every product, because of the HONGQI People believe that Only meticulously to things, will be seen the value. Now, we still insist on high-tech channel management body system.

And in combination of aesthetics and security, on the basis of practical, For the product into the arts, simple, the creation of new space for design ideas, as well as put into practice, dedication to the customer, you will have a quality guarantee. Because of excellence, so to create numerous first.

- The full implementation of the first and through ISO9001:2000 international quality system of the United States ANAB and the United Kingdom UKAS
- Two-factor authentication of the professional manufacturers of air gas tank
- First dare to promise warranty is available on the market for seven years, the professional manufacturer of air gas tank
- The first CIS corporate image recognition system into a professional manufacturer of air gas tank
- The first in the industry to obtain: "National trust good products quality and conformity assessment" of Honor.
- First obtained: Ten well-known brands of gas tank pressure vessel business in china
- First obtained: China Product Quality Association "International quality AAA credit rating" Honor





硬件装备
Facility



人们都可以看到地平线，我们希望可以看的更远
People can see the horizon, we hope to see farther



没有最好，只有更好！

There is no best only better

技术创新，服务全球！

Technical Innovation ,service to world

多年以来，宏企人凭着不懈努力和一丝不苟的工作精神，把制造工艺和审美观念完美的融合在一起。创造出高品位、高科技、高品质精品一样的化工设备。同时宏企人在通过服务企业不断壮大和发展，在创造过程中不断升华，力求将技术优势发挥极致。为使全球更多企业能享受高品质的化工设备而再攀高峰。

Since years,the HONGQI people work carefulness and hard that make the technique and aesthetic ideas together, to produce high-purity high-technology high-quality products. At the same time , the HONGQI People become stronger and developing from service to enterprises and grow up in creating products, that seek to develop technological advantage to the highest.In order to make more businesses to enjoy high-quality products while In climbing the new highest.

历史不止步，文明又提升；
 科技在创新，宏企身处鞭策之中！
 开拓进取，勇于奉献，
 宏企人将以绝对的优势和实力拓展非标领域；
 以更优质的服务来赢得广大客户的高度赞赏，
 证实自我，实现心愿。


Historical progress,Civilization upgrade.Development and progress ,Couraget to dedication.The HONGQI People will be with excellent strength to reach non-standard equipment field,enen with excellent service to win customers in appreciation of appreciation Confirm myself ,achieve dream.



不锈钢卧式储罐
 Stainless lying tank



种子罐
 seeding tank



种子罐内部结构图
 inner structure illustration of seeding tank




种子罐夹套内部结构图
 inner structure illustration of seed Tank Jacket

换热器产品系列

我们只创造最完美的产品！

We just produce perfect products





诚实守信、维护品牌形象

宏企人认为，诚实守信是企业立足之本，优秀的品牌形象是市场及客户之源。

因此，对每位客户我们都以诚相待，信誉至上。在提供优质产品的同时提供热情周到的优质服务。以言行一致、表里如一的诚实态度，以人无我有、人有我优的真正实力，维护宏企品牌辉煌的市场形象。

Heat Exchanger Products



To maintain the brand image of being honest and trustworthy The HONGQI Workers believe that the enterprise based on honesty and trustworthiness, good brand image is the root of the market and customers Credibility is important so that we are honest to each customer.


In the provision of high-quality products while providing a warm and considerate services With an honest attitude and great strength to maintain the brand market image of HONGQI.

搅拌容器系列



高贵源于磨砺，荣耀出自奋斗；
闪电般的闪耀，是能量的迸发；
成就的辉煌，是潜心的缔造。

The noble source in hard
Honor come from struggle
the sparkling lightning just the burst of energy
brilliant achievement just from work hard





“宏企牌”压力容器及其化工设备自上市以来，坚持以创造最高安全标准的压力容器为经营理念，产品获得了国内外专家的肯定，并赢得世界各地用户的青睐，在短期间内创造了中国压力容器历史上的奇迹。质量无止境，名牌无国界，没有最好，只有更好，是宏企人永恒的追求！

Since the HONGQI Brand and the Chemical Equipment was to enter the market, adhere to the highest safety standards in order to create the pressure vessel for the business philosophy the products have been positive from domestic and foreign experts ,and won the favor of users around the world,and to creat wonder in a short time of the chinaese pressure vessel,It is the eternal pursuit of taht quality endless,Brand just Without Borders,there is no best, only better.



不锈钢储气罐
stainless gas tank

简单压力容器是指结构简单，危险性小的压力容器。与一般压力容器相比，简单压力容器具有以下的特点：

- 容积小：简单容器最大的容积不超过1000升。
- 设计压力为底压：简单压力容器的设计压力最大不超过1.6MPa。
- 介质无危害性：一般介质为空气、氮气或医用蒸馏水蒸发的水蒸气。
- 设计温度范围窄：容器的设计温度最低为 -20°C ，最高为 150°C 。
- 容积与工作压力乘积的数值小：容积与工作压力乘积不大于 $1000\text{MPa}\cdot\text{L}$ 。
- 压力危险性小：容器由钢带或薄钢板制造而成，变形容易协调、应力集中不明显、总体应力水平低、材料的可焊性和韧性好，因此焊接缺陷引发脆性破坏的可能性小。

新购买的简单压力容器无须到当地的检验部门办理使用登记手续；达到推荐年限时自行报废，如需继续使用则须报特种设备检验检测机构按《压力容器定期检验规格》进行定期检验。

本册所列的规格及技术参数仅供参考，实际产品的规格及技术参数以该产品所配的图纸为准。

The book listed the specifications and technical parameters just for reference only, the product drawings shall prevail

虽简单，因我专业，固我出色
Although simple, because I am professional, I am well.

Simple pressure vessel is simple structure, the risk of small pressure vessels, compared with the general pressure vessels, simple pressure vessel has the following characteristics:

The volume of small: the largest volume simple containers not more than 1000 liters, the design pressure of low pressure:

the pressure vessel design simple pressure of not more than 1.6 MPa largest.

The media no harm, general media for air, nitrogen or water vapor Medical distilled water evaporation.

The design temperature range narrow: vessel design temperature minimum of -20°C and a maximum of 150°C.

The product volume and pressure numerical small: the volume and pressure of the work product of not more than 1000 MPa/L

The pressure on the dangers of small: containers by the thin strip steel manufacturing from, deformation easy coordination, stress concentration not obvious, the overall stress level low, materials solderability and toughness good so brittle we detect triggered the possibility of a breakdown small.

The simple purchase of new pressure vessels not required to attend the local inspection department for the use of the registration procedures: to recommend itself in destroying for it to be reported to continue to use special equipment inspection bodies according to the pressure vessel regularly in specified specifications' regular inspections.



立式储气罐
upright gas tank

HL型空气储罐

| 序号 NO. | 规格 Specification | | 设计 温度 Design temperature | 容器 类别 Container type | 容器 总高 Total height of the container | 容器 内径 Container internal diameter | 进气口 Air inlet | | | 进气口 Air inlet | | | 支座 support | | | 安全阀接口 Nozzle of safe by valve | 排污接口 Nozzle of drain valve |
|-----------|----------------------|------------|-----------------------------------|-------------------------------|--|---|------------------|------|---------|------------------|------|---------|---------------|----------|----------|-------------------------------------|----------------------------------|
| | 容积 m ³ | 工作压 MPa | | | | | 高度 (mm) | 口径 | 接口 | 高度 (mm) | 口径 | 接口 | 分布圆 mm | 孔径 mm | 数量 mm | | |
| | | | | | | | | | | | | | | | | | |
| 1 | 0.3 | 0.8 | 150°C | 简单 压力 容器 | 1551 | 550 | 543 | DN40 | Rp1 1/2 | 1153 | DN40 | Rp1 1/2 | 385 | 20 | 3 | Rp3/4 | R3/4 |
| 2 | | 1 | | | 1153 | | | | | | | | | | | | |
| 3 | | 1.3 | | | 1154 | | | | | | | | | | | | |
| 4 | 0.6 | 0.8 | 150°C | 简单 压力 容器 | 2114 | 650 | 577 | DN40 | Rp1 1/2 | 1677 | DN40 | Rp1 1/2 | 455 | 20 | 3 | Rp3/4 | R3/4 |
| 5 | | 1 | | | 1678 | | | | | | | | | | | | |
| 6 | | 1.3 | | | 1679 | | | | | | | | | | | | |
| 7 | 1 | 0.8 | 150°C | 简单 压力 容器 | 2200 | 820 | 601 | DN40 | Rp1 1/2 | 1771 | DN40 | Rp1 1/2 | 560 | 24 | 3 | Rp1 | R3/4 |
| 8 | | 1 | | | 1772 | | | | | | | | | | | | |

标准型储气罐



立式储气罐
upright gas tank



立式储气罐
upright gas tank



立式常规空气储罐

| 序号 NO. | 规格 Specification | | 设计 温度 Design temperature ℃ | 容器 总高 Total height of the container | 容器 内径 Container Internal diameter | 进气口 | | | 进气口 | | | 支座 | | | 安全阀接口 Nozzle of safe by valve | 排污接口 Nozzle of dyain valve | |
|-----------|----------------------|------------|--|--|---|------------|-------|---------|------------|-------|---------|-----------|----------|----------|-------------------------------------|----------------------------------|-------|
| | 容积 m ³ | 工作压 MPa | | | | Air intel | | | Air intel | | | support | | | | | |
| | | | | | | 高度 (mm) | 口径 | 接口 | 高度 (mm) | 口径 | 接口 | 分布圆 mm | 孔径 mm | 数量 mm | | | |
| | | | | | | | | | | | | | | | | | |
| 1 | 1 | 1.3 | 100 | 2200 | 820 | 704 | DN40 | Rp1 1/2 | 1714 | DN40 | Rp1 1/2 | 560 | 24 | 3 | Rp1 | R3/4 | |
| 2 | 1.5 | 0.8 | 100 | 2355 | 1000 | 834 | DN65 | Rp2 1/2 | 1834 | DN65 | Rp2 1/2 | 700 | 24 | 3 | Rp1 | R3/4 | |
| 3 | | 1 | 100 | 2357 | | 836 | | | 1836 | | | | | | | | |
| 4 | | 1.3 | 100 | 2355 | | 834 | | | 1834 | | | | | | | | |
| 5 | 2 | 0.8 | 100 | 2855 | 1000 | 834 | DN65 | Rp2 1/2 | 2334 | DN65 | Rp2 1/2 | 700 | 24 | 3 | Rp1 | R3/4 | |
| 6 | | 1 | 100 | 2857 | | 836 | | | 2335 | | | | | | | | |
| 7 | | 1.3 | 100 | 2855 | | 834 | | | 2334 | | | | | | | | |
| 8 | 2.5 | 0.8 | 100 | 2678 | 1200 | 847 | DN100 | PL100 | 2157 | DN100 | 法兰100 | 840 | 24 | 3 | Rp1 1/4 | R1 | |
| 9 | | 1 | 100 | 2678 | | 847 | | | 2157 | | | | | | | | |
| 10 | | 1.3 | 100 | 2682 | | 849 | | | 2159 | | | | | | | | |
| 11 | | 0.8 | 100 | 2918 | | 847 | | | 2397 | | | | | | | | |
| 12 | 3 | 1 | 100 | 2918 | 1200 | 847 | DN100 | PL100 | 2397 | DN100 | 法兰100 | 840 | 24 | 3 | Rp1 1/4 | R1 | |
| 13 | | 1.3 | 100 | 2922 | | 849 | | | 2399 | | | | | | | | |
| 14 | | 0.8 | 100 | 3039 | | 918 | | | 2308 | | | | | | | | |
| 15 | 4 | 1 | 100 | 3035 | 1400 | 916 | DN125 | PL125 | 2306 | DN125 | 法兰125 | 1050 | 24 | 3 | Rp1 1/2 | R1 | |
| 16 | | 1.3 | 100 | 3039 | | 918 | | | 2308 | | | | | | | | |
| 17 | | 0.8 | 100 | 3770 | | 918 | | | 3038 | | | | | | | | |
| 18 | 5 | 1 | 100 | 3766 | 1400 | 916 | DN125 | PL125 | 3036 | DN125 | 法兰125 | 1050 | 24 | 3 | Rp2 | R1 | |
| 19 | | 1.3 | 100 | 3770 | | 918 | | | 3038 | | | | | | | | |
| 20 | | 0.8 | 100 | 4420 | | 918 | | | 3688 | | | | | | | | |
| 21 | 6 | 1 | 100 | 4416 | 1400 | 916 | DN125 | PL125 | 3686 | DN125 | 法兰125 | 1050 | 24 | 3 | Rp2 | R1 | |
| 22 | | 1.3 | 100 | 4420 | | 918 | | | 3688 | | | | | | | | |
| 23 | | 0.8 | 100 | 3771 | | 1800 | | | 1058 | | | | | | | | DN150 |
| 24 | 8 | 1 | 100 | 5139 | 1500 | 1023 | 4393 | 1100 | 30 | 3 | | | | | | | |
| 25 | | 1.3 | 100 | 3779 | 1800 | 1062 | 2952 | 1350 | 30 | 3 | | | | | | | |
| 26 | 10 | 0.8 | 100 | 4535 | 1800 | 1058 | DN150 | PL150 | 3708 | DN150 | 法兰150 | 1350 | 30 | 3 | Rp2 1/2 | R1 | |
| 27 | | 1 | 100 | 4539 | | 1060 | | | 3710 | | | | | | | | |
| 28 | | 1.3 | 100 | 4543 | | 1062 | | | 3712 | | | | | | | | |
| 29 | 12.5 | 0.8 | 100 | 5540 | 1800 | 1058 | DN150 | PL150 | 4718 | DN150 | 法兰150 | 1350 | 30 | 3 | Rp2 1/2 | R1 | |
| 30 | | 1 | 100 | 4618 | | 2000 | | | 1085 | | | 3745 | 1500 | 30 | | | 3 |
| 31 | | 1.3 | 100 | 4622 | | 2000 | | | 1090 | | | 3747 | 1500 | 30 | | | 3 |
| 32 | 15 | 0.8 | 100 | 4612 | 2200 | 1174 | DN150 | PL150 | 3674 | DN150 | 法兰150 | 1650 | 30 | 3 | Rp2 1/2 | R1 | |
| 33 | | 1 | 100 | 5418 | | 2000 | | | 1085 | | | 4545 | 1500 | 30 | | | 3 |
| 34 | | 1.3 | 100 | 5422 | | 2000 | | | 1087 | | | 4547 | 1500 | 30 | | | 3 |
| 35 | 20 | 0.8 | 100 | 5130 | 2400 | 1200 | DN150 | PL150 | 4140 | DN150 | 法兰150 | 1800 | 36 | 4 | Rp2 1/2 | R1 | |
| 36 | | 1 | 100 | 7008 | | 2000 | | | 1085 | | | 6135 | 1500 | 30 | | | 3 |
| 37 | | 1.3 | 100 | 7012 | | 2000 | | | 1087 | | | 6137 | 1500 | 30 | | | 3 |



油气分离器
Oil and gas separator



油气分离器
Oil and gas separator





吸附筒
Adsorption tube



喷砂罐
Sandblasting tank



分气缸
Sub-cylinder

卧式储罐系列产品

宏企秉承“创造中国最高安全标准的压力容器”的企业理念，聚业内精英、坚持品牌战略、以前瞻特立的稳健笃行，不断契合客户需求，以高效、快速的响应能力提供专业化的服务支持，为全球专业客户提供更安全放心的产品，全力为客户创造更高的工作价值。



卧式储罐
Lying Tank




卧式储罐
Lying Tank

HONGQI pressure vessel company is with the creation of "China's highest safety standards of pressure vessels" Gather talent, Insist on Brand Strategy, to full customer needs, with the efficient and fast ability to provide Professional services To provide safe products to customers worldwide Create a higher value.



储液罐
Fluid Tank



75M³以上大型储罐
The large tank of more than 75m³